

Slash® 4X4 VXL EHD (Model 68386-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	6941-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green
6786	Ball bearing kit, Slash® 4X4/Stampede® 4X4/Rustler®		(painted, decals applied) (assembled with front & rear latches for clipless mounting)
6786X	4X4/Hoss® 4X4 VXL (complete) Ball bearing kit, stainless steel, Slash® 4X4/Stampede®	6844-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green and blue (painted, decals applied) (assembled with front & rear
	4X4/Rustler® 4X4/Hoss® 4X4 VXL (complete)		latches for clipless mounting)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	5849-HWN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD),
5120A 511 4A	Ball bearings, black rubber sealed (12x18x4mm) (2)		Hawaiian graphics (painted, decals applied) (assembled with
5114A 5117A	Ball bearings, black rubber sealed (5x8x2.5mm) (2) Ball bearings, black rubber sealed (6x12x4mm) (2)	5824-BLUE	front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD),
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)	3024-BLUE	Keegan Kincaid (painted, decals applied) (assembled with
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)		front & rear latches for clipless mounting)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	6928-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD),
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)		orange & blue (painted, decals applied) (assembled with front
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	COAA ODNO	& rear latches for clipless mounting)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	6941-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear
	Body & Accessories		latches for clipless mounting)
1926	Antenna caps, vinyl (2)/ antenna spool	5850-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD),
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		orange (painted, decals applied) (assembled with front & rear
6934	Body conversion kit, Slash 2WD/Slash 4X4 (includes front &	COAO ODNO	latches for clipless mounting)
EOE4 DI LIE	rear latch mounts, latches, hardware) (for clipless mounting)	6910-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear
5851-BLUE	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied) (assembled with front & rear latches		latches for clipless mounting)
	for clipless mounting)	6844-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD),
5924-BLUE	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue		orange and blue (painted, decals applied) (assembled with
	(painted, decals applied) (assembled with front & rear latches		front & rear latches for clipless mounting)
5054 ODN	for clipless mounting)	6928-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red &
5851-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear		blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
	latches for clipless mounting)	5824-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red
5924-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green		(painted, decals applied) (assembled with front & rear latches
	(painted, decals applied) (assembled with front & rear latches		for clipless mounting)
	for clipless mounting)	6941-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red
5851T	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4),		(painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-ORNG	orange & blue (painted, decals applied) Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4),	6910-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red
3031-01110	orange & blue (painted, decals applied) (assembled with front		(painted, decals applied) (assembled with front & rear latches
	& rear latches for clipless mounting)		for clipless mounting)
5924-ORNG	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4),	5848-RNR	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Rock
	orange (painted, decals applied) (assembled with front & rear		n' Roll (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-PINK	latches for clipless mounting) Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink &	6932-GRN	Body, Slash® 4X4, green (painted, decals applied) (assembled
303 I-FINK	purple (painted, decals applied) (assembled with front & rear		with front & rear body mount latches for clipless mounting)
	latches for clipless mounting)	6965R	Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash®
5851-RBLU	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red &		2WD) (clear, requires painting)/ window masks/ decal sheet
	blue (painted, decals applied) (assembled with front & rear		(requires #6967 latches and #6966 latch mounts for clipless mounting)
5851-RED	latches for clipless mounting) Rody, Slash® 2WD (also fits Slash® VXI, & Slash® 4Y4), rod	6932L	Body, Slash® 4X4, ProGraphix® (graphics are printed, requires
303 I-KED	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches	****	paint & final color application)/ decal sheet
	for clipless mounting)	6932-RED	Body, Slash® 4X4, red (painted, decals applied) (assembled
5924-RED	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red		with front & rear body mount latches for clipless mounting)
	(painted, decals applied) (assembled with front & rear latches	6849	Body, Slash® 4X4/Slash®, Fox Edition (painted, decals
FOFF	for clipless mounting)	6849-FOX	applied) Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® Edition
5855	Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color	0049-FOX	(painted, decals applied) (assembled with front & rear latches
	application)/ decal sheet		for clipless mounting)
5851L	Body, Slash® 2WD, ProGraphix® (graphics are printed,	6812-GRN	Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue
	requires paint & final color application)/ decal sheet		(painted, decals applied) (assembled with front & rear latches
6965	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear,	6040 ODNO	for clipless mounting)
	requires painting)/ window masks/ decal sheet (requires #6967	6812-ORNG	Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue (painted, decals applied) (assembled with front & rear latches
6910-BLUE	latches and #6966 latch mounts for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue		for clipless mounting)
0310-BLOL	(painted, decals applied) (assembled with front & rear latches	6812R	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted,
	for clipless mounting)		decals applied)
COAA BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue	6812-RED	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted,
6941-BLUE	(painted, decals applied) (assembled with front & rear latches		decals applied) (assembled with front & rear latches for
0941-BLUE			clipless mounting)
	for clipless mounting)	5915	Body Slash® VXI 2WD ProGraphiv® (also fits Slash® 4Y4)
6949	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox®	5915	Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/
	for clipless mounting)	5915	Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet
	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green	5915 6928	(graphics are printed, requires paint & final color application)/ decal sheet Chassis & body conversion kit, Slash 4X4 (includes front &
6949	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear	6928	(graphics are printed, requires paint & final color application)/ decal sheet Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting)
6949 6928-GRN	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)	6928 2514	(graphics are printed, requires paint & final color application)/ decal sheet Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) Decal sheet, racing sponsors
6949	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green	6928 2514 6813	(graphics are printed, requires paint & final color application)/ decal sheet Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) Decal sheet, racing sponsors Decal sheet, Slash® 4X4
6949 6928-GRN	for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)	6928 2514	(graphics are printed, requires paint & final color application)/ decal sheet Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) Decal sheet, racing sponsors

Page 2 Slash® 4X4 VXL EHD: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68386-4) Parts List

Bearing adapter, 5081-178 aluminum (blue-anodized) (1) (for silipper shaft) 1015 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1016 (Samm hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1017 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing (locks rubber sealed) (1) (for silipper shaft) 1018 (Askim hall bearing sapper (1) (por (locks anodized)) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing sapper (lock) (1) (for silipper hall) 1018 (Askim hall bearing) 1019 (for silipper hall) 1019 (for		Center Driveline	9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE
(9) 1/16 Seal-min ball bearing (black rubber sealed) (1) (for slipper sharp sh	6893X		6991	
support and year of the common state point of the common state of				
Searing adaptine, 589-16 alluminum (green-an-and/oxe) (1) (for ollipper shaft) where the state of the state o		slipper shaft)		,
suiting control diversality (clear) Cover, gear (clear) Differential with center (complete) (inseambled with 900K wt differential princip gear, differential (center) Differential with center (complete) (inseambled with 900K wt differential princip gear, differential pri	6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/		
6979. Cover, paer (clark) 6979. Object past (clark) 6979. Differential kit, center (complete) (astuminum carrier) 6979. Differential kit, center (complete) (astuminum carrier) 6988. Divershift, center, 6961-16 aluminum (poet-anodzed) (214mm) 6988. Divershift, center, 6961-16 aluminum (poet-anodzed) (214mm) 6989. Divershift, center, 6961-16 aluminum (poet-anodzed) (214mm) 6989. Divershift, center, 6961-16 aluminum (poet-anodzed) (214mm) 6989. Complete, 6981-16 aluminum (poet-anodzed) (214mm) 6989. Pale, moder, 6961-16 aluminum (poet-anodzed) 699. Pale, moder, 6961				Ring gear, differential/ pinion gear, differential (machined,
Service goad ricord virtle hold-down dup Coveri goad ricord virtle hold-down dup Differential kit, center (complete) (assembled with 500K wt differential kit, center, 6061-176 aluminum (grown-anodized) (214mm) Driveshaft, center, 6061-176 aluminum (red-anodized) (214mm) Driveshaft, center, 6061-176 aluminum (red-anodized) (214mm) Driveshaft, center, 6061-176 aluminum (blue-anodized) (214mm) Driveshaft, center, 6061-176 aluminum (blue-anodized) (214mm) Driveshaft, center, 6061-176 aluminum (blue-anodized) (214mm) Pilate, motor, 6061-176 aluminum (blue-anodized) (214mm) Sizze Rebuild kit flepary dubly, lapper clutch (seed died ricinal based of the complete of the	6841	Cover, center driveshaft (clear)	6070D	
Differential Ruce center (complete) (attendment carriery) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3685 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3686 Dive hub, front, hatdered attent (pt years pin r) 3687 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years pin r) 3688 Dive hub, front, hatdered (pt years	6877A	Cover, gear (clear)	00/9K	
Differential fluid & Set 7 subminum (red-anodized) (214mm) Direvahat, center, 6061-76 aluminum (seu-anodized) (214mm) Direvahat, center, 6061-76 aluminum (red-anodized) Direvahat, center, 6061-76 aluminum (red-anodized) Pilate, motor, 6061-76 alu	6877	Cover, gear/ motor wire hold-down clip	0070	
Differential kit, center (complete) (essembled with 500K w differential kit, center (complete) (ess	6780	Differential kit, center (complete) (aluminum carrier)		
differential fluid & S4T spur'g san') S888 Drive hub, front, hurdened steel (1) 4 aG S(1) Drew hub, front, hurdened steel (1) 4 aG S(2) Drew hub, front, hurdened steel (1) 4 aG S(2) Drew hub, front, hurdened steel (1) 4 aG S(3) Drew hub, front, hurdened steel (1) 4 aG S(3) S895 Drew hub, front, hurdened steel (1) 4 agreement (1) a	6780A			• • • • • • • • • • • • • • • • • • • •
Drive hab, center, rear (1) 4-x3 GS (1) Driveshalt, center, 6051-76 aluminum (blue-anodized) (214mm) Driveshalt, center, 6051-76 aluminum (blue-anodized) (214mm) Driveshalt, center, 6051-76 aluminum (blue-anodized) (214mm) S885K Pale, motor, 6051-76 aluminum (blue-anodized) (214mm) Flatin, motor, 6051-76 aluminum (blue-anodized) (214mm) N. (1)1-4.6mm N.		, , , , , , , , , , , , , , , , , , , ,	1647	
Drive hub, front, hardened steel (1/ biscreep inin (1) 88550 Divershaft, center, 6061-16 aluminum (green-anodized) (214mm) Driveshaft, center, 6061-16 aluminum (green-anodized) 88562 Many and the (1) Park of the property of the steel of aluminum (green-anodized) 88563 Input and (1) Elementary of the steel of aluminum (green-anodized) 88564 Plate, motor, 6061-16 aluminum (blue-anodized) 88565 Plate, motor, 6061-16 aluminum (blue-anodized) 88566 Plate, motor, 6061-16 aluminum (blue-anodized) 88567 Plate, motor, 6061-16 aluminum (blue-anodized) 88568 Plate, motor, 6061-16 aluminum (blue-anodized) 88568 Plate, motor, 6061-16 aluminum (blue-anodized) 88569 Plate, motor, 6061-16 aluminum (blue-anodized) 88569 Plate, motor, 6061-16 aluminum (blue-anodized) 88569 Plate, motor, 6061-16 aluminum (blue-anodized) 8857 Rebuild kit, Risper clutch (seed discriber long patks) (spring (2) spring (2) pink (4) mm NL (1)) 8857 Rebuild kit, Risper clutch (seed discriber long patks) (spring (2) pink (4) mm NL (1)) 8857 Slipper pressure plate & hub (aluminum alloy) 8858 Slipper pressure plate & hub (aluminum alloy) 8859 Slipper pressure plate & hub (aluminum alloy) 8850 Slipper pressure plate & hub (aluminum alloy) 8851 Slipper pressure plate & hub (aluminum alloy) 8852 Slipper pressure plate & hub (aluminum alloy) 8853 Slipper pressure plate & hub (aluminum alloy) 8854 Slipper pressure plate & hub (aluminum alloy) 8855 Slipper pressure plate & hub (aluminum alloy) 8856 Slipper pressure plate and hub (alu) 8857 Slipper (aluminum (aluminum alloy) 885	6888			Driveline Components
Direchalt, conter, 6081-16 aluminum (blue-anodized) (214mm) Direchalt, conter, 6081-16 aluminum (rechanodized) (214mm) Direchalt assembly, front, extreme heavy duty with form and c(1) content in the filtimom, and content in the filtimom and content in the filtimom, and content in the content in the filtimom, and content in the filt	6888X		9057	=
S8850 Driveshaft, center, 5061-T6 aluminum (green-anodized) (214mm) S8960 Plate, motor, 5061-T6 aluminum (red-anodized) (214mm) S8970 Plate, 5061-T6 aluminum (red-anodized) (214mm) S8970 Plate, 5061-T6 aluminum (red-anodized) (214mm) S8970 Plate,	6855		0001	
8858 Driveshaft, conter, 6981-T6 aluminum (red-anodized) pin (1) pin (6855G	· · · · · · · · · · · · · · · · · · ·	9051	use with #9080 upgrade kit)
Grease, white lithium Sillogate probably bearing adapter (1) pin (1) Plata, motor, 968-176 aluminum (blue-anodized) Plate, motor, 968-176 aluminum (red-anodized) Sizzer Rebuild kit, slipper clutch, slogar (1) (1) (2 domm NL (1)) Sizzer Rebuild kit, slipper clutch, feted discr friction pads (3) spring (2) pin 4 domm NL (1) 5 domm NL (1) 4 domm	6855R		0001	
liput shaft (silipper shaft) bearing adapter (1/) pin (1) 8080 Plate, motor 968-176 aluminum (blue-anodized) 9152 Plate, motor, 968-176 aluminum (blue-anodized) 9152 Plate plate (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)				
Plate, motor, 661-T8 aluminum (blue-anodized) Plate, motor Plate, dom M. (1) 4 dom N L. (1) 4 dom N L. (1) Plate Signal Plate		,	9052	
Plais, motor, 6661-Te aluminum (blue-anodized) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum NL (1)/4 dmm				
Palse, motor, 6661-T6 aluminum (rod-anodized) Sas2RR Rebuild kit, deay duty, slipper clutch (steel disc) aluminum friction pads (3) epring (1) 22-8 mm prio 538m MW 5.0mm NL (1)/4.0mm NL (· · · · · · · · · · · · · · · · · · ·		
Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3) spring (1) 22.8 mm pin (5 kmm kW) 5.0 mm NL (1)4.0 mm NL (1)9.0 mm NL (1)4.0 mm NL (1)9.0 mm NL (1)4.0 mm NL (1)9.0 mm			6855	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)
friction pads (2) spring (1) 2.9.8 mm pin/ 5x8mm MW/ 5.0 mm NL (1) 4.0 mm NL (10) 4.0 mm NL (
SSEXX Robuld kit, slipper clutch (steed discr friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MWW 5.0mm NL (1)/ 4.0mm NL (1)/ 2x9.8mm pin/ 5x8mm MWW 5.0mm NL (1)/ 4.0mm NL (1)/ 5mm NL	3332K	, , , , , , , , , , , , , , , , , , , ,		
Rebuild kit, slipper clutch, (steed discrifiction pads (3)/ spring (1)/29.8 mm july 5.8mm m/W 5.			6855R	· · · ·
(1) 2-9. S8mm MW (5 0mm NL (1) 4. 0mm NL (1) 5 0mm NL (1)	E3E3Y	· / / / / / / / / / / / / / / / / / / /		
Rebuild kit, silper clutch (steel disc/ fiction pads (3)/ spring (2)/ pin/ 4 Mm NL (1)/ 5 Mm NL	JJJZA			
pin 4.0mm NL (11) 5.0mm NL (11) William NL (11) Silpoer clutch, complete (for Slash 4x4) Slipoer pressure plate and hub (alloy) Chassis & Attractments (2) (for clipless body mounting) Body mount, front adapter, front /inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, for ly bumper amount (fits Slashe) 4X4) (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4) (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4) (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4) (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4 (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4 (for LED light kit installation) Body mount, for ly bumper mount (fits Slashe) 4X4 (for LED light kit installation) Body conversed (astern body on the for light and	5552Y	* * * * * * * * * * * * * * * * * * * *		
self. Silicone Grease Welcity with Brown stub axies (complete assembly) (2) (for use with \$980 upgrade kit) Financial and the Identification of the Iden	000ZA		9052R	
Silpper clutch, complete (for Slash 4x4) Silpper pressure plate and hub (alloy) Silpper pressure plate and hub (alloy) Silpper pressure plate and hub (alloy) DIESSIS & HERDIMONS Sody mount, front adapter, front inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Box, receiver (sealed)/ foam pad/ silicone grease/2 5x8mm BCS (2) x1form CCS (2) x3form CCS (2) x3form CCS (2) x3form CSS (1647		 -	
Silpper pressure piate & hub (altuminum altoy) Silpper pressure piate and hub (altoy) FIRESIS & AIRCHINGEN Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting) Body mount, freat/ inserts (2) (for clipless body mounting) Body mount, freat/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, rear/ inserts (2) (for clipless body mounting) Body mount, Go-Ry on the clip of				
Sub ake assembly, front, outer, extreme heavy duty (1) (left or injects to plate and hub (alloy) Chassis & AltiCellillells			3981	
B976 Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting) 10125 Body mount, rear/ inserts (2) (for clipless body mounting) 3924 Box, receiver (sealed) froam pad/2.5x8mm BCS (2)/ 3x10mm CCS (2) 3x15mm CCS (2) 3828 Box, receiver (sealed) froam pad/2.5x8mm CS (4)/ 3x10mm CS (2)/ 3x10mm		**		. , ,
### Body mount, front / lapter, front/ inserts (2) (for clipless body mounting) 10125 Body mount, rear/ inserts (2) (for clipless body mounting) 3024 Box, receiver (sealed)/ foam pad/ silicone grease/2.5x8mm BCS (2) 3x10mm CCS (2) 3x15mm CCS (2) 3028 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) 3029 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) 3029 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) 3029 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) 3029 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) 3029 Bumper, front / bumper support (fits Slash® 4X4) (for LED light kit installation) 3020 Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) 3021 Chassis & body conversion kit, low CG (Slash 4x4) 3020 Chassis & body conversion kit, low CG (Slash 4x4) 3020 Chassis & body conversion kit, low CG (Slash 4x4) 3021 Chassis conversion kit, low CG (Slash 4x4) 3022 Chassis conversion kit, low CG (Slash 4x4) 3023 Chassis conversion kit, low CG (Slash 4x4) 3024 Chassis conversion kit, low CG (Slash 4x4) 3025 Chassis conversion kit, low CG (Slash 4x4) 3026 Chassis conversion kit, low CG (Slash 4x4) 3027 Chassis conversion kit, low CG (Slash 4x4) 3029 Chassis conversion kit, low CG (Slash 4x4) 3020 Lipids, drivenshaft (clear) 3020 Lipids, drivenshaft (clear) 3021 Chassis conversion kit, low CG (Slash 4x4) 3020 Lipids, drivenshaft (clear) 3021 Chassis conversion kit, low CG (Slash 4x4) 3022 Chassis conversion kit, low CG (Slash 4x4) 3023 Lipids, drivenshaft (clear) 3024 Chassis conversion kit, low CG (Slash 4x4) 3025 Lipids, drivenshaft (clear) 3026 Chassis conversion kit, low CG (Slash 4x4) 3027 Lipids, drivenshaft (clear) 3027 Lipids (All Ambroaded (Al	5351		•	
Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting) 10125 Body mount, rear/ inserts (2) (for clipless body mounting) 3024 Box, receiver (sealed/) foan pad/; Staffam CCS (2) 33c15 Body mount, rear/ inserts (2) (for clipless body mounting) 3024 Box, receiver (sealed/) foan pad/; Staffam CS (4)/ 3x10mm CS (2)/ 3x15mm CS (2)/ 3x15mm CS (2)/ 3x15mm CS (4)/ 3x10mm CS (2)/ 3x15mm CS (2)/ 3x15mm CS (4)/ 3x10mm CS (2)/ 3x15mm CS (2)/ 3x15mm CS (4)/ 3x10mm CS (2)/ 3x10mm CS (2)/ 3x15mm CS (2)/ 3x1		Chassis & Attachments		
mounting) 10125 Body mount, read' inserts (2) (for clipless body mounting) 1024 Box, receiver (sealed) froam pad' silicone grease/2.5x8mm BCS (2) 3x10mm CCS (2) 3x15mm CCS (2) 102 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 3x10mm CCS (2) 3x15mm CCS (2) 102 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (4)/3x10mm CS (2) 10325 Box, receiver (sealed) foam pad's.5x8mm CS (3)/4x10mm foam foam foam foam foam foam foam fo	6976		9055	• = •
### 10125 ### Body mount, rear/ inserts (2) (for clipless body mounting) ### 9080 upgrade kit) ### 9080 upgrade	0010			
Box, receiver (sealedly froam padf silicone grease/2.5x8mm BCS (2) 3x10mm CCS (2) 3x15mm CCS (2)	10125	· ·		
3828 Box, receiver (sealed)/ foam pad/2.5x8m CS (4)/ 3x10mm CS (2) 3x15mm CCS (2) 3x15mm CS (4)/ 3x10mm CS (2) 3x15mm CS (4)/		· · · · · · · · · · · · · · · · · · ·	2754	• = •
Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front / bumper support (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) 928	3324			
Carrier, differential fund & S4T spurges Salak Carrier (day 4.5 mm cross pin (4) 3mm headed Diplotts, distallation) Salak	3628			
Bumper, front / bumper support (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper rear / bumper mount (fits Slash® 4X4 (for LED light kit installation) Bumper rear / bumper mount (fits Slash® 4X4 (for LED light kit installation) Bumper rear / bumper mount (fits Slash® 4X4 (for LeD light kit installation) Bumper rear / bumper mount (fits Slash® 4X4 (for LeD light kit installation) Bumper rear / bumper mount (fits Slash® 4X4 (for LeD light kit installation) Bumper rear / bumper hout, (for Light kit and 6mm akles) Bumper rear / bumper hout, (for Use with #9080 upgrade kit) Bumper rear / bumper hout, (for use with #9080 upgrade kit) Bumper rear / bumper hout, (for use with #9080 upgrade kit) Bumper rear / bumper hout, (for use with #9080 upgrade	0020		5452X	•
installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Chassis & body conversion kit, Isw CG (Slash 4X4) Chassis & Slash 4X4 Chassis, Slash 4X4 Cover, center driveshaft (clear) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Movel hubs, splined, 17mm, short (blue-anodized) (4)/ who lends, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ wheel nuts, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, s	6835X			
Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation) Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) Chassis & body conversion kit, tow CG (Slash 4x4) Chassis, Slash 4X4 Chassis, Slash 4X4 Chassis, Slash 4X4 Chassis, Slash 4X4 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicel) batteries) Sa227 Sa288 Mount, Go-Pro camera, fiberglass Sa299 Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Sa3925 Carrier, differential /x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (aluminum carrier) Differential indi a 5x1 surge gear) Differential infont (complete) (assembled with 500K wt differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (spider gears (2)/ spider gear shaft (21) Housings, center differential (spider gears (2)/ spider gear shaft (21) Housings, center differential (spider gears (2)/ spider gear shaft (21) Housings (4)/ 5x10x0.5 PTW (1)/2.5x10 CCS Wheel hubs, splined, 17mm, short (greya-nodized) (4)/ wheel nuts, splined, 17mm, short (greya-nodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ wheel nuts, splined, 17mm, short (greya-nodized) (4)/ wheel nuts, splined, 17mm, short (greya-nodiz	000071			
instaliation) 6928 Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) 7421 Chassis conversion kit, low CG (Slash 4x4) 6822 Chassis, Slash 4X4 6841 Cover, center driveshaft (clear) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip 8827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries) 8840 Mount, Go-Pro camera, fiberglass 8629 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 8850 Differential Full Commontal Kit, center (complete) (aluminum carrier) 8521 Carrier, differential Lit, center (complete) (aluminum carrier) Differential fluid & 54T spur gear) 85313 Differential fluid & 54T spur gear) Diff	6836X	,	9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm
Chassis & body conversion kit, Slash 4X4 (includes front & rear body mounts, latches, hardware) (for clipless mounting) Chassis conversion kit, low CG (Slash 4x4) Chassis, Slash 4X4 Chassis, Slash 4X4 Chassis, Slash 4X4 Chassis, Slash 4X4 Hold down, batteryl hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, batteryl hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, batteryl hold down retainer/ battery post/ foam spacer/ angled body clip (slip) (pin (4) (for use with #9080 upgrade kit and 6mm axles)
rear body mounts, latches, hardware) (for clipless mounting) 4221 Chassis conversion kit, low CG (Slash 4x4) 6842 Chassis, Slash 4X4 6841 Cover, center driveshaft (clear) 6842 Hold down, batteryl hold down retainer/ battery post/ foam spacer/ angled body clip 6827 Hold down, batteryl hold down retainer/ battery post/ foam spacer/ angled body clip 6840 Mount, Go-Pro camera, fiberglass 6840 Mount, Go-Pro camera, fiberglass 6841 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 6842 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 6851 Carrier, differential Collipionalis 6852 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 6852 Differential kit, center (complete) (aluminum carrier) 6860 Differential kit, center (complete) (aluminum carrier) 68780 Differential kit, center (complete) (aluminum carrier) 68780 Differential kit, center (complete) (aluminum carrier) 68780 Differential front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (1/3/37 ratio) 6882 Gear set, differential (output gears (2)/ spider gears shaft, carrier support) 6882 Gear set, differential (spider gears (4)/ spider gear shaft, carrier support) 6882 Gear set, differential (spider gears (4)/ spider gears shaft, carrier support) 6883 Gear set, differential (spider gears (4)/ spider gear shaft, carrier support) 6884 Housing, center differential (spider gears (4)/ spider gear shaft, carrier support) 6885 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6886 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6887 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6887 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6888 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6889 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6889 Gear set, differential (spider gears (4)/ spider gears (2)/ spider gear gear gear gear gear gear gear ge	6928	·	9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel
Chassis, Clash 4X4 Chassis, Slash 4X4 Cover, center driveshaft (clear) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi- cell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) The carrier, differential / x-ring gaskets (2)/ ring gear gasket/ (3/2 x20mm BCS (2) (for use with #9080 upgrade kit) The carrier, differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) Differential kit, center (complete with pinion gear and differential plastics) (its 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6780 Carriers, stub axie, rear, extreme heavy duty, gray (left & right) yax1mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050T 6781 Gear set, differential (output gears (2)/ spider gears (2)/ spider gear spaces (2)/ spider gear spaces (2)/ spider gear spaces (2)/ spider gear spaces (2)/ spider gear gear gear gear gear gear gear ge				nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7
Chassis, Slash 4X4 Cover, center driveshaft (clear) 6841 Cover, center driveshaft (clear) 6842 Cover, center driveshaft (clear) 6843 Cover, center driveshaft (clear) 6844 Cover, center driveshaft (clear) 6846 6840 6840 Mount, Go-Pro camera, fiberglass 6840 Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential kit, center (complete) (aluminum carrier) 6780 Differential kit, center (complete) (aluminum carrier) 6780 Differential oli kit (1 each: 10K, 30K, 50K weights) Differential oli kit (1 each: 10K, 30K, 50K weights) Differential (sit 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gears shaft (23)/ fing gas gaskets (1)/ bushings (4)/ Sx10x0.5 PTW (1)/ 2.5x10 CCS Possor Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, or	7421			(4)/ axle pin (4) (for use with #9080 upgrade kit)
Cover, center driveshaft (clear) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi- cell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (assembled with 500K wt differential loi kit (1 each: 10K, 30K, 50K weights) Differential loi kit (1 each: 10K, 30K, 50K weights) Stampede®, Rustler®) (13/37 ratio) Stampede®, Rustler®) (13/37 ratio) 6882X Gear set, differential (output gears (2)/ spider gear shaft, carrier support) 6882X Gear set, differential (output gears (2)/ spider gears shaft, carrier support) 6882X Gear set, differential (output gears (4)/ spider gears shaft, carrier support) 6783 Gear set, differential (output gears (4)/ spider gears shaft (2)) Housing, center differential (aluminum)/x-ring gaskets (2)/ ring gear gasket (1)// bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 9050R Rustler®) (13/37 ratio) Seal kit, receiver box (includes o-ring, seals, and silicone grease) 9050C Carriers, stub axle, rear, extreme heavy duty, green (left & right) 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right) 3x41m		, , ,	9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel
Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, an				nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7
saged body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ri		,		(4)/ axle pin (4) (for use with #9080 upgrade kit)
Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential refiner receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential refiner receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential refiner receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential feoilipiners Carrier, differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Seal kit, center (complete) (aluminum carrier) Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) Differential fluid & 54T spur gear) Stampede®, Rustler® (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum/) x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Total down, battery (4) (4) (4) cate (4) (4) (4) wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axte pin (4) (for use with #9080 upgrade kit) Truel ID Ultifal Cit Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axte pin (4) (for use with #9080 upgrade kit) Saltampede®, Rustler® (1)/ 3x20mm BCS (2) (for use with #9080 upgrade k	0027		9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel
spacer/ angled body clip (allows for installation of taller, multicell batteries) Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential Colliptorits Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential kit, center (complete) (aluminum carrier) Differential fluid & 54T spur gear) Differential fluid & 54T spur gear) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6882X Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (2)/ spider gear shaft, carrier support) Gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Differential (spider gears (2)/ spider gear shaft (2)) Housing, center differential (aluminum)/x-ring gaskets (2)/ ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Differential (spider gears with fining prins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/x-ring gaskets (2)/ ring gasket (3)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS	5827¥			nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X
cell batteries) Mount, Go-Pro camera, fiberglass 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 3925 Seal kit, receiver box (includes o-ring, seals, and silicone grease) 3926 Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential Committee (Complete) (aluminum carrier) 6780 Differential kit, center (complete) (aluminum carrier) 6780 Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) 6788 Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Gear set, differential (output gears (2)/ spider gears shaft, carrier support) 6780 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (2)/ \$x20mm BCS (2) (for use with #9080 upgrade kit) Differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ \$x10x0.5 PTW (1)/ 2.5x10 CCS	00277			0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
Mount, Go-Pro camera, fiberglass Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential Complete (2) ring gear gasket/ 6x10x0.5 TW Gravier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) Differential lit kit (10K, 30K, 50K weights) Differential i lit kit (1 each: 10K, 30K, 50K weights) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gravier, differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Graviers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Graviers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080			9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel
Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Gr80 Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (aluminum carrier) Bifferential fluid & 54T spur gear) Differential fluid & 54T spur gear) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gr89 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Graviers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gaskets (2)/ ring gaskets (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS	6840			
grease) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Differential Foliation Fol		, ,		0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
Seal kit, receiver box (includes o-ring, seals, and silicone grease) Carrier, differential Composition	3029	· · · · · · · · · · · · · · · · · · ·	9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel
Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW 6780 Differential kit, center (complete) (aluminum carrier) 6780A Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) 5136X Differential oil kit (1 each: 10K, 30K, 50K weights) 6788 Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Gear set, differential (output gears (2)/ spider gear shaft (2)) 6780 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 6780 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for u	3025	- · ·		
Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW 6780 Differential kit, center (complete) (aluminum carrier) 6780A Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) 5136X Differential oil kit (1 each: 10K, 30K, 50K weights) 6788 Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6780 Gear set, differential (output gears (2)/ spider gear shaft, carrier support) 6781 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 9050 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050X Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050G Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 9050T Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6780 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6781 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6782 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for u	3923			(4)/ axle pin (4) (for use with #9080 upgrade kit)
Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential kit, center (complete) (aluminum carrier) Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) Differential fluid & 54T spur gear) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) East of the fit of the f		Differential Components		Extreme HN Ungrade Kit
TW 6780 Differential kit, center (complete) (aluminum carrier) 6780A Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) 5136X Differential oil kit (1 each: 10K, 30K, 50K weights) 6788 Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6780 Gear set, differential (output gears (2)/ spider gear shaft, carrier support) 6781 Gear set, differential (spider gears (4)/ spider gear shaft) 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 6782 Differential, kit, center (complete) (assembled with 500K wt differential plastics) (Fight)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6784 Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6785 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6786 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6787 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6788 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6789 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6780 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	5381	Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5	0050	
Differential kit, center (complete) (aluminum carrier) 6780 Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) 5136X Differential oil kit (1 each: 10K, 30K, 50K weights) 6788 Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6789 Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) 6780 Gear set, differential (output gears (2)/ spider gear shaft, carrier support) 6781 Gear set, differential (spider gears (4)/ spider gear shaft (2)) 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 9050X 6784 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6780 Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6780 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6781 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) 6781 Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)			9050	
Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear) Differential fluid & 54T spur gear) Differential oil kit (1 each: 10K, 30K, 50K weights) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6780	Differential kit, center (complete) (aluminum carrier)		
differential fluid & 541 spur gear) Differential oil kit (1 each: 10K, 30K, 50K weights) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6780A	Differential kit, center (complete) (assembled with 500K wt	OUEUA	
Differential oil kit (1 each: 10K, 30K, 50K weights) Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) GR82X Gear set, differential (spider gears (4)/ spider gear shaft, carrier support) GR83 Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Upgrade kit) Garriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)			9030X	
Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (output gears (2)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Differential, front (complete with pinion gear and differential plastics) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 2x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 2x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 2x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 2x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 2x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)		
plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (output gears (2)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Sax41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6788	, , , , , , , , , , , , , , , , , , , ,	OOSO CRAV	
Stampede®, Rustler®) (13/37 ratio) Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Stampede®, Rustler®) (13/37 ratio) Upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)			JUJU-GRAT	
Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Differential, rear (complete with pinion gear and differential plastics) (Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)				
(fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)			9050@	
Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gear shaft (2)) Gear set, differential (output gears (2)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6789		5050G	
Gear set, differential (output gears (2)/ spider gear (2)/ spider gear set, shaft, carrier support) Gear set, differential (output gears (2)/ spider gear set, shaft, carrier support) Gear set, differential (spider gears (2)/ spider gear shaft (2)) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Gear set, differential (output gears (2)/ spider gear set, carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS	6789			
shaft, carrier support) 6783 Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 6781 Shaft, carrier support) right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080	6789			
Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS Gear set, differential (spider gears (4)/ spider gear shaft (2)) #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080		Rustler®) (13/37 ratio)	0050-	
Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring 9050R Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080		Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gears (2)/ spider gear	9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left &
gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080	6882X	Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)	9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with
(*(1 d) d) () ()	6789 6882X 6783	Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2))		Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
upgrade kit)	6882X	Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring		Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/
	6882X 6783	Rustler®) (13/37 ratio) Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support) Gear set, differential (spider gears (4)/ spider gear shaft (2)) Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS		Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080

Page 3 Sla	sh® 4X4 VXL EHD: TQi™	Traxxas Link™	Enabled 2.4GHz Radio 8	& TSM® (Model 68386-4) Parts List
------------	-----------------------	---------------	------------------------	-----------------------------------

•			,
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
	upgrade kit)	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left &		steel CV driveshafts)
	right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with	9042	Suspension pin set, extreme heavy duty, complete (front and rear)
0000	#9080 upgrade kit)		(3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with	00427	upgrade kit)
	#9080 upgrade kit)	9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/		M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
	3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080	9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm
	upgrade kit)		pin (4) (for use with #9080 upgrade kit and 6mm axles)
9057	Differential output yoke assembly, extreme heavy duty (2) (left	1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)
	or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle		nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
	(1)/ screw pin (1) (left or right) (fully assembled, ready to	9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel
	install) (for use with #9080 upgrade kit)		nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle		(4)/ axle pin (4) (for use with #9080 upgrade kit)
	(1)/ screw pin (1) (left or right) (fully assembled, ready to	9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel
9051R	install) (for use with #9080 upgrade kit) Driveshafts, front, extreme heavy duty, steel-spline constant-		nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X
300111	velocity with 6mm stub axles (complete assembly) (2) (for use	9086-ORNG	0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel
	with #9080 upgrade kit)	0000 011110	nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-		0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
	velocity with 6mm stub axles (complete assembly) (2) (for use	9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel
9080	with #9080 upgrade kit) Outer Driveline & Suspension Upgrade Kit, extreme heavy		nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
3000	duty, black		
9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy	2000	Front Suspension & Steering
	duty, blue	6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy	6823G 6823R	Bulkhead tie bars, front & rear, aluminum (green-anodized) Bulkhead tie bars, front & rear, aluminum (red-anodized)
9080G	duty, gray Outer Driveline & Suspension Upgrade Kit, extreme heavy	6830X	Bulkhead, front
	duty, green	3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy		stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
9080R	duty, orange Outer Driveline & Suspension Upgrade Kit, extreme heavy	3643G	wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6
300010	duty, red	00400	aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/
9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with		aluminum wrench (1) (#2579 3x15 BCS (4) required for
	#9080 upgrade kit)	2642D	installation)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)	3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
9038X	Shock tower, front, extreme heavy duty, blue (for use with		wrench (1) (#2579 3x15 BCS (4) required for installation)
	#9080 upgrade kit)	9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080		3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080
0039C	upgrade kit) Shook tower front extreme beauty duty, green (for use with	9032X	upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)	***************************************	3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080
9038T	Shock tower, front, extreme heavy duty, orange (for use with		upgrade kit)
	#9080 upgrade kit)	9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
9038R	Shock tower, front, extreme heavy duty, red (for use with		3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9039	#9080 upgrade kit) Shock tower, rear, extreme heavy duty, black (for use with	9032G	Caster blocks (c-hubs), extreme heavy duty, green (left &
3033	#9080 upgrade kit)		right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with
9039X	Shock tower, rear, extreme heavy duty, blue (for use with	9032T	#9080 upgrade kit)
	#9080 upgrade kit)	90321	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080		g, oxozgo p (2), oxzo 200 (2) (.o. 000
9039G			#9080 upgrade kit)
	upgrade kit)	9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/
30330		9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080
9039T	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with		Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9039T	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)	9032R 6845A 6845G	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized)
	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080	6845A	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9039T	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/	6845A 6845G 6845T 6845R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized)
9039T 9039R 9037	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845A 6845G 6845T	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod
9039T 9039R	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/	6845A 6845G 6845T 6845R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs)
9039T 9039R 9037 9037X	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845A 6845G 6845T 6845R 6895	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod
9039T 9039R 9037	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/	6845A 6845G 6845T 6845R 6895	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/
9039T 9039R 9037 9037X	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ Steering blocks, extreme heavy duty, green (left & right)/	6845A 6845G 6845T 6845R 6895 6897	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
9039T 9039R 9037 9037X 9037-GRAY 9037G	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845A 6845G 6845T 6845R 6895	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Shock tower, front, extreme heavy duty, black (for use with
9039T 9039R 9037 9037X 9037-GRAY	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/	6845A 6845G 6845T 6845R 6895 6897	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
9039T 9039R 9037 9037X 9037-GRAY 9037G	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845A 6845G 6845T 6845R 6895 6897 6846 9038	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit) Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039T 9039R 9037 9037X 9037-GRAY 9037G 9037T	upgrade kit) Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845A 6845G 6845T 6845R 6895 6897 6846	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/3x32mm hinge pins (2)/3x20mm BCS (2) (for use with #9080 upgrade kit) Drag link, machined 6061-T6 aluminum (blue-anodized) Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized) Drag link, machined 6061-T6 aluminum (red-anodized) Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs) Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit) Shock tower, front, extreme heavy duty, blue (for use with

Page 4	Slash® 4X4 VXL EHD: TQi™ Traxxas Link™ Enable	d 2.4GHz	Radio & TSM® (Model 68386-4) Parts List
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)	3938 2546	Screws, 4x14mm button-head machine (hex drive) (6) Screws, 4x15mm countersunk machine (hex drive) (6)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)	3929	Screws, 4x18mm button-head machine (hex drive) (6)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)	2743 3642X	Set (grub) screws, 3mm hardened (12) Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	2754 2746	Stub axle pins (4) Washers, 3x6mm metal (12)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3690	(requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	5893	Slash®, or #6735 for 4WD Stampede®) LED light harness, rear (requires #5838, 6737X, or 6836 rear
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6894	bumper) LED light set, complete (includes front and rear bumpers with
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)		LED light bar, rear LED harness, & BEC Y-harness) (fits Slash® 4X4)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2263	Y-harness, BEC to LED light set Motors & Electronics
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3655R 3655G	Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3655T	Suspension arms, orange, front/rear (left & right), heavy duty	2240	voltage)
3655L	(2) Suspension arms, red, front/rear (left & right), heavy duty (2)	3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL- 4s or BL-2s™
9042	Suspension pin set, extreme heavy duty, complete (front and rear)	2072A	Gear set (for 2070, 2075 servos)
	(3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080	2252 2272	Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)
00.42V	upgrade kit)	3458	Heat sink (fits #3351R and #3461 motors)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/	3354R	Motor cover, endbell (Velineon® 3500)
	M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)	6860A	Motor mount (assembled with 3x6 flat-head machine screw)/
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger	6860R	3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized)
6742G	than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
6742R	than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger	6890	Plate, motor
0024	than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)	6890X 6890R	Plate, motor, 6061-T6 aluminum (blue-anodized) Plate, motor, 6061-T6 aluminum (red-anodized)
9031	Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)	3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and	****	ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
	hollow balls) (2)	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
	Hardware	3932 2254	Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (middle) (blue-anodized) (for 2250
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	2234	servo)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
3642 1589	Attachment screws, shock (3x12mm shoulder screws) (6) Double-sided adhesive tape (25mm x 25mm)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware
6787	Hardware kit, Hoss® 4X4 VXL/Slash® 4X4/Stampede®	2271	(for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
	4X4/Rustler® 4X4 (contains all hardware used on Hoss® 4X4	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
	VXL, Slash® 4X4, Stampede® 4X4, or Rustler® 4X4)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
6787X	Hardware kit, stainless steel, Hoss® 4X4 VXL/Slash® 4X4/Stampede® 4X4/Rustler® 4X4 (contains all stainless steel	2075	Servo, digital high-torque (ball bearing), waterproof
	hardware used on Hoss® 4X4 VXL, Slash® 4X4, Stampede®	2250	Servo, digital high-torque 330 coreless, metal gear (ball
	4X4, or Rustler® 4X4)	2255	bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
2745	Nuts, 3mm nylon locking (12)	2233	bearing), waterproof
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3647	(4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
1747	Nuts, 4mm nylon locking (10)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		mounting plate (part #3725))
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless)
1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)		(fwd/rev/brake)
5525	Rod ends (12)/ hollow balls (12)		Radio System, Batteries & Chargers
2742X	Rod ends, short (6)/ hollow balls (6)	2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
3965	Screws, 2.5x8mm cap-head machine (6)	2926X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2941X 2849X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery
2552 2579	Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6)	2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2951X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2961X 2844R	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery
2554 2534	Screws, 3x6mm caphead machine (hex drive) (6) Screws, 3x6mm countersunk machine (6) (hex drive)	2843X	5800mah 7.4v 2-Cell 35C LiPo Battery
3932	Screws, 3x6mm flat-head machine (b) (flex drive)	2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2535	Screws, 4x10mm countersunk machine (hex drive) (6)	2976	AC to DC adapter
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
2542	Screws, 4x12mm countersunk machine (hex drive) (6)		batteries to separate balance ports)

Page 5	Slash® 4X4 VXL EHD: TQi™ Traxxas Link™ Enable	4 2 /CH- E	Podio 2 TSM® (Model 62326.4) Ports List
2943	Battery charge indicators, green (4), grey (4), blue (4)	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	004474	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
2914 2983	Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrongh (4)/ (#0570.2415 PCS/4) regulared for installation)
2992	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger	3644R	wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
2970-2SR	(1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/Charger completer pack (includes #2970 iD® charger	9050	wrench (1) (#2579 3x15 BCS (4) required for installation) Carriers, stub axle, rear, extreme heavy duty, black (left &
2260	(1), #2844R 5200mAh 7.4V 2-cell 35C LiPo ID® Battery (1)) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	9050X	right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/
2975	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	90307	3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080
2973 2970	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	9050G	upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left &
2981	Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
2985	Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6512	Battery Identification Cover plate, Traxxas® Link Bluetooth® module	9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080
2971 2978	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	9039	upgrade kit) Shock tower, rear, extreme heavy duty, black (for use with
2072A 2252	Gear set, metal (for 2250, 2255 servos)	9039X	#9080 upgrade kit) Shock tower, rear, extreme heavy duty, blue (for use with
2272 2968X	Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter	9039-GRAY	#9080 upgrade kit) Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
2968	for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
6535	for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
6533	pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
3932 6520	Screws, 3x6mm flat-head machine (hex drive) (6) Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with
6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	9055	#9080 upgrade kit) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or
2253 2251	Servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware	9054	right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) Stub axle, front, 6mm, extreme heavy duty (for use with
2271	(for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)	9053	#9051R steel CV driveshafts) Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)		steel CV driveshafts)
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof	3655P 3655R	Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	3655G 3655T	Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	3655L	(2) Suspension arms, red, front/rear (left & right), heavy duty (2)
2270 2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	6834 3644	Suspension pin set, complete (front and rear) Turnbuckles, camber link, 39mm (69mm center to center)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	3044	(assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
6540 6509R	Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	5004	Shock Oil
6507R	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
0007R	Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
6528	ch micro receiver) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-	5034 5035	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
6529	channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3.channel (transmitter only)	5036 5037 5029	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
6530	3-channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
6511	Traxxas® Link Bluetooth® module	5038	Spinning carousel rack
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)	7466X	Since (GTR) Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
68386-4	Rearly-To-Race Model Slash® 4X4 VXL: 1/10 Scale 4WD Brushless Short Course Truck with TO! M Trayers Link M Enabled 2.4 GHz Radio System 8	7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
	with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®	7466G 7466A	Body, GTR long shock, aluminum (green-anodized) (PTFE- coated bodies) (1) Body, GTR long shock, aluminum (orange-anodized) (PTFE-
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	7466R	coated bodies) (1) Body, GTR long shock, aluminum (red-anodized) (PTFE-coated
6823G 6823R 6829	Bulkhead tie bars, front & rear, aluminum (green-anodized) Bulkhead tie bars, front & rear, aluminum (red-anodized) Bulkhead, rear	7467X	bodies) (1) Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)

7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)	6865 6858	Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-		Shocks (Ultra Shocks)
467A	coated bodies) (1) Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
467R	coated bodies) (1) Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-	3765A 3766A	Body, Ultra Shock (long) (grey) (2) Body, Ultra Shock (XXL) (grey) (2)
40/K	coated bodies) (1)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow	2742X	screws (2)
468	balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Caps and spring retainers, GTR long/xx-long shock (upper cap	3767	Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)
-100	(2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra
6475	retainer (2)) Multi-tool (plastic)	3767G	Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra
158	Nuts, 2.5mm nylon locking (12)		Shocks)
463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
	shocks)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra
469 464T	Rod ends (GTR shocks) Shaft, GTR long, TiN-coated (2)	3767X	Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shoc
461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN	2362	Shock rebuild kit (for 2 shocks)
	shafts (fully assembled, without springs) (2)	1664T	Shock shafts, hardened steel, titanium nitride coated (long)
461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-lor (2)
461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with	1664	Shock shafts, steel, chrome finish (long) (2)
400 00411	TiN shafts (assembled) (2) (without springs)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
462-GRAY 462	Shocks, GTR xx-long (gray) (assembled) (2) (without springs) Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with	1765 3769	Silicone diaphragms (4) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
	TiN shafts (fully assembled, without springs) (2)	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3
462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies		hole (2))
462-ORNG	with TiN shafts (fully assembled, without springs) (2) Shocks, GTR xx-long orange-anodized, PTFE-coated bodies	6863	Springs, front (progressive, +10% rate, pink) (2)
+02-OKNG	with TiN shafts (fully assembled, without springs) (2)	6864 6862	Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2)
462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with	6861	Springs, front (progressive, -10% rate, green) (2)
	TiN shafts (fully assembled, without springs) (2)	6857	Springs, front (white) (progressive rate) (2)
462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	6867	Springs, rear (progressive, +10% rate, pink) (2)
462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with	6868	Springs, rear (progressive, +20% rate, blue) (2)
	TiN shafts (assembled) (2) (without springs)	6866 6865	Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2)
459 440	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)	6858	Springs, rear (white) (progressive rate) (2)
440 441	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair) Spring, shock, white (GTR long) (0.653 rate green) (1 pair)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load
444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)	3762	spacers & springs) (front) (2)
445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)	3/02	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)	3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers
442 443	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair) Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)	07004	springs) (2)
446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load space & springs) (rear) (2)
447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)		Slipper Clutch Components
449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)	5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
	Shocks (Pro-level Aluminum)	6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized)
862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)		(1)/10x15x4mm ball bearing (black rubber sealed) (1) (for
660	(assembled with TiN shafts and springs) (front & rear) (4) Big-bore shocks (long) (hard-anodized & PTFE-coated T6	6893G	slipper shaft) Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/
	aluminum) (assembled with TiN shafts) w/o springs (2)	00000	10x15x4mm ball bearing (black rubber sealed) (1) (for slippe
662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6		shaft)
669	aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting	6888	Drive hub, center, rear (1)/ 4x3 GS (1)
003	bushings & washers (2) (Big Bore Shocks)	6888X 6893	Drive hub, front, hardened steel (1)/ screw pin (1) Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball	5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum fric
742X	screws (2) Rod ends, short (6)/ hollow balls (6)		pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/
742A 667	Shock caps, aluminum (2) (Big Bore Shocks)	5352X	4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ sprir
362	Shock rebuild kit (for 2 shocks)	000EA	(1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2).
656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	2554	pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)
664	Shock shafts, steel, chrome finish (long) (2)	6878	Slipper clutch, complete (for Slash 4x4)
	Shock shafts, steel, chrome finish (xx-long) (2)	5556	Slipper pressure plate & hub (aluminum alloy)
	Silicone diaphragms (4)	5351	Slipper pressure plate and hub (alloy)
765	Spring retainers, upper & lower (2)/ spring pre-load spacers:	3942X	Spur Gears & Pinion Gears Gear, 12-T pinion (32-p), heavy duty (machined, hardened
765	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore		
765 6 68	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)		steel) (fits 3mm shaft)/ set screw
765 668 863	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened
765 668 863 864 862	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
765 668 863 864 862 861	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2)		Gear, 13-T pinion (32-p), heavy duty (machined, hardened
765 668 863 864 862 861 857	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened
656 765 668 863 864 862 861 887 887	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2)	3943X 3944X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw

Page 7 S	Slash® 4X4 VXL EH	D: TQi™ Traxxas Link [⊤]	[™] Enabled 2.4GHz Radio	& TSM®	(Model 68386-4) Parts List
----------	-------------------	-----------------------------------	-----------------------------------	--------	----------------	--------------

947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened		Tires & Wheels
948X	steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
340X	steel) (fits 3mm shaft)/ set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X,
949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened	2647	#6856X, #6469)
	steel) (fits 3mm shaft)/ set screw	3647 1647	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Silicone Grease
950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	2754	Stub axle pins (4)
951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened	5889R	Tire & wheel assembled, glued (S1 compound) (SCT Split-
••	steel) (fits 3mm shaft)/ set screw		Spoke black, satin chrome beadlock style wheel (dual profile
952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened		2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (4
	steel) (fits 3mm shaft)/ set screw	5863R	f/r, 2WD rear) (TSM® rated) Tire & wheel assembled, glued (S1 compound) (SCT, black,
842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)	3003K	orange beadlock wheels, SCT off-road racing tires, foam
843 956	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)		inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-	6874R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke
	pitch) (for center differential)	_	satin chrome, black beadlock wheel, Kumho tire, insert) (2)
	Steering Components	6873R	(4WD front/rear, 2WD rear only) Tire & wheel assy, glued (S1 compound) (SCT SS, chrome re
728	Ball bearings (5x8x2.5mm) (2)	007010	beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire
845A	Drag link, machined 6061-T6 aluminum (blue-anodized)		inserts) (2) (4WD f/r, 2WD rear)
845G	Drag link, machined 6061-T6 aluminum (green-anodized)	6873X	Tire & wheel assy, glued (S1 compound) (SCT SS, satin
345T	Drag link, machined 6061-T6 aluminum (orange-anodized)		chrome black beadlock wheel, BFGoodrich® Mud-Terrain™
345R	Drag link, machined 6061-T6 aluminum (red-anodized)	5867	T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) Tire & wheel assy, glued (SCT chrome, red beadlock style
346	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/	3007	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, insert
740	hollow balls (2) Red ands long (6)/ ballow ball connectors (6)		(2)(4WD front/rear, 2WD rear only)
742 552	Rod ends, long (6)/ hollow ball connectors (6) Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/	5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style
,J_	wrench		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD
345X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring	5878	rear only) Tire & wheel assy, glued (SCT satin chrome, black beadlock
	retainer/servo horn, steering	3070	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert)
742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger		(2)(4WD front/rear, 2WD rear only)
7426	than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)	6873A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red
742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)		beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM
42R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger	E002 A	tire, inserts) (2) (4WD f/r, 2WD rear)
	than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tir
7 46	Washers, 3x6mm metal (12)		inserts) (2) (4WD f/r, 2WD rear)
	Suspension Linkage	5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome
537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)		beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire,
643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,	E063	inserts) (2) (4WD f/r, 2WD rear)
	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum	5863	Tire & wheel assy, glued (SCT, black, orange beadlock whee SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rea
	wrench (1) (#2579 3x15 BCS (4) required for installation)		(TSM® rated)
643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/	6876	Tire & wheel assy, glued (SCT, chrome, green beadlock whe
	aluminum wrench (1) (#2579 3x15 BCS (4) required for		BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2
	installation)	E072V	(4WD front/rear, 2WD rear only)
643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum,	5873X	Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4W
	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum		front/rear, 2WD rear only)
644X	wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,	6891R	Tires & wheels assembled, glued (S1 compound) (SCT Split
,,,,,	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum		Spoke chrome, red beadlock style wheels, SCT off-road raci
	wrench (1) (#2579 3x15 BCS (4) required for installation)	5007D	tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,	5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrowheels, red beadlock style, dual profile (2.2" outer, 3.0" inne
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum		SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rea
44R	wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,		(TSM® rated)
7771	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Spli
	wrench (1) (#2579 3x15 BCS (4) required for installation)		Spoke satin chrome, black beadlock style wheels, SCT off-r
25	Rod ends (12)/ hollow balls (12)	5887	racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rat Tires & wheels, assembled, glued (SCT chrome wheels, red
)42	Suspension pin set, extreme heavy duty, complete (front and rear)	3001	beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-
	(3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080		road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM
42X	upgrade kit) Suspension pin set, extreme heavy duty, complete (front and		rated)
	rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/	5869A	Tires & wheels, assembled, glued (SCT chrome, blue beadle
	M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
44	Turnbuckles, camber link, 39mm (69mm center to center)	5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadle
	(assembled with rod ends and hollow balls) (1 left, 1 right) (fits front		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires,
121	& rear on Slash)		foam inserts) (2) (4WD front/rear, 2WD rear only)
31	Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)	6873T	Tires & wheels, assembled, glued (SCT Split-Spoke black
39	Turnbuckles, camber links, 58mm (assembled with rod ends and		chrome beadlock style wheels, BFGoodrich® Mud-Terrain™
	hollow balls) (2)	-	T/A® KM2 ultra-soft S1 compound off-road racing tires, foar inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
	Team Traxxas Items	5891	Tires & wheels, assembled, glued (SCT Split-Spoke black,
	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	1	satin chrome beadlock style wheels, paddle tires, foam inse
16			(2) (4WD f/r, 2WD rear) (TSM® rated)
514	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®,	6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome
514	Decal sheet, racing sponsors	6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome red beadlock style wheels, SCT off-road racing tires, foam
916 514 917 950 909	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®,	6891 5892G	Tires & wheels, assembled, glued (SCT Split-Spoke chrome,

Page 8 Slash® 4X4 VXL EHD: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68386-4) Parts List

5892	Tires & wheels, assembled, glued (SCT Split-Spoke orange wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD roar) (TSM® rated)	3433X	Traxxas Tools Body reamer (aluminum handle)
6873	2WD rear) (TSM® rated) Tires & wheels, assembled, glued (SCT Split-Spoke satin	3433	Body reamer (plastic handle)
55.5	chrome, black beadlock style wheels, BFGoodrich® Mud-	3436	Cap, body reamer
	Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	3432	Scissors, curved tip
	(TSM® rated)	3431	Scissors, straight tip
6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)		premium handle (medium), travel pouch, hex drivers (straight:
5889	Tires & wheels, assembled, glued (SCT Split-Spoke, black,		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
0000	satin chrome beadlock style wheel, dual profile (2.2" outer,	8720	Speed bit handle, large (overmolded)
	3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r,	8721	Speed bit handle, medium (one piece)
	2WD rear) (TSM® rated)	8722	Speed bit handle, premium (rubber overmold)
5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels,	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road		premium handle (medium), travel pouch, hex drivers (straight:
5873A	tires, foam inserts) (2) (Rear) (TSM® rated) Tires & wheels, assembled, glued (SCT, satin chrome wheels,		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
307 3A	red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	tires, foam inserts) (2) (Rear)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
5873R	Tires & wheels, assembled, glued (SCT, satin chrome, red		includes premium handle (medium), travel pouch, hex drivers
	beadlock wheels, ultra soft S1 compound off-road racing tires,		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
0074	foam inserts) (2) (2WD Rear, 4WD F/R)		2.5mm, 3.0mm), 1/4" drive
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
507 11 0	off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
	foam inserts (2)		1/4" drive
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	foam inserts (2)		3.0mm) 1/4" drive
5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
9069	profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm	074EV	2.5mm), 1/4" drive
9009	pin (4) (for use with #9080 upgrade kit and 6mm axles)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
	axle pins(2)	• • • • • • • • • • • • • • • • • • • •	Phillips, and #2 Phillips bits), 1/4" drive
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-
	nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7	0445	joint wrench)
6856X	(4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
0030X	nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00
	(4)/ axle pin (4) (Slash 4WD)		
	(4) axie pili (4) (Glasii 444D)		Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel		Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7		8mm wrenches/ driver handle)
	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	3643X	8mm wrenches/ driver handle) Turnbuckles & Threaded Rods
9086-GRAY 9086-GRN	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel	3643X	8mm wrenches/ driver handle)
	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X	3643X	8mm wrenches/ driver handle) TUTINDUCKIES & Threaded Rods Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel	3643X 3643G	8mm wrenches/ driver handle) TUITIDICKIES & TITEATIET ROTS Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6
9086-GRN	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)		8mm wrenches/ driver handle) TUTTIBUE/IGS & TITCATIEN ROUS Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/
9086-GRN 9086-ORNG	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)		8mm wrenches/ driver handle) TUTNING ROS & Threatlet Ross Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for
9086-GRN	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel	3643G	8mm wrenches/ driver handle) TUTNITICKIES & Threatical Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9086-GRN 9086-ORNG	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7		8mm wrenches/ driver handle) TUPNDUCKIES & Threatiet Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum,
9086-GRN 9086-ORNG 9086-RED	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	3643G	8mm wrenches/ driver handle) TUTNITICKIES & Threatical Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9086-GRN 9086-ORNG 9086-RED 5353	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4)	3643G	8mm wrenches/ driver handle) TUTNITICKIES & TITERICAL ROLLS Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
9086-GRN 9086-ORNG 9086-RED	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	3643G 3643R	Romm wrenches/ driver handle) TUTNINGER & Threatiet Rotts Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
9086-GRN 9086-ORNG 9086-RED 5353 5480X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	3643G 3643R 3644X	Turnbuckles & Threatlet Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9086-GRN 9086-ORNG 9086-RED 5353 5480X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2"	3643G 3643R	Turning Roles & Threatier Roles Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	3643G 3643R 3644X	TUTNIUCKIES & Threatiet Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	3643G 3643R 3644X	Turning Roles & Threatier Roles Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	3643G 3643R 3644X 3644G	Turning Roles & Threatier Roles Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2"	3643G 3643R 3644X 3644G 3644R	Turnbuckles & Threatlet Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)	3643G 3643R 3644X 3644G 3644R	Turning Roles & Threatign Roles Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2"	3643G 3643R 3644X 3644G 3644R	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) Wheels, SCT split-Spoke, black, blue beadlock style, dual	3643G 3643R 3644X 3644G 3644R 5525 6742X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Comber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	3643G 3643R 3644X 3644G 3644R	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only)	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G	Turnbuckles & Threatlet Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3643G 3643R 3644X 3644G 3644R 5525 6742X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G 6742R	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G 6742R	Turnbuckles & Threatlet Rots Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Turnbuckles, camber link, 91mm (80mm center to center)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheel wrench, splined, 17mm (blue-anodized) (4)/ wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3643G 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)	3643G 3643R 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Turnbuckles & Threatical Rolls Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Turnbuckles, camber link, 91mm (80mm center to center)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)	3643G 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Tor links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) wheel wrench, splined, 17mm (blue-anodized) (4) wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)	3643G 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (2) Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2) Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
9086-GRN 9086-ORNG 9086-RED 5353 5480X 5868A 5870A 5868 5872 5872X 5884A 5884 6872X	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)	3643G 3644X 3644G 3644R 5525 6742X 6742G 6742R 3644	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) Rod ends (12)/ hollow balls (12) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Tor links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

(1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

BEV 241113